



BABYLIMO

Product Guide & Warranty

Index

WARRANTY RECORDS	1
WARRANTY CARD	2
WARNINGS AND NOTES	3
GENERAL TERMS OF WARRANTY	6
MANUAL	8
CAR SEAT	15
WARRANTY FILE	25

WARRANTY RECORDS

NUMBER	REPAIR START DATE	REPAIR FINISH DATE	SCOPE OF REPAIR	SERVICEMAN SIGNATURE

NOTES:

BABYLIMO

BABYLIMO
76 VALLIS CLOSE, BH151XZ, POOLE, DORSET
TEL.+44 787 325 18 63, ORDERS@BABYLIMO.CO.UK
WWW.BABYLIMO.CO.UK

WARRANTY CARD

According to warranty terms and conditions, BABYLIMO issues warranty for:

NAME OF THE PRODUCT/ SERIAL NUMBER:	
ORDER NUMBER:	
DATE OF PURCHASE:	
SIGNATURE OF SELLER:	

MANUFACTURER'S STATEMENT

Manufacturer declares that, product is manufactured correctly, according with current standards and quality norms.

USER'S STATEMENT:

I declare, that Manufacturer included Product Manual with the Product, and Seller informed me about product assembly and further product usage, as well as service. I was informed about using the product according with the product manual.

.....
(DATE AND PLACE)

.....
(USER SIGNATURE)

WARNINGS AND NOTES

IMPORTANT: Keep these instructions for future reference. Based on the tests conducted, the Babylimo® company declares that the delivered baby carriage is a safe product that complies with the requirements of the EN 1888:2012 standard.

NOTE: No additional equipment not listed by the manufacturer should be used.

The chassis may only have the products allowed by the manufacturer mounted on it: the carrycot, the stroller and the car seat (with adequate adapters used).

The frame, when combined with the carrycot, constitutes a baby carriage intended for children aged from birth to the moment of being able to sit on their own, up to 9kg.

The frame, when combined with the car seat (only with use of adapters) is for a child from birth to 11kg (as per the car seat instruction of use). Either option only allows to carry one child at a time.

1. **WARNING:** Never use the product when any part of it is worn or damaged. Using a faulty product poses a risk to the child's safety. It is necessary to contact the service station in order to remove the malfunction.
2. **WARNING:** The product should be regularly checked for signs of wear or damages.
3. **WARNING:** Never leave your child unattended.
4. **WARNING:** Make sure before the use if all the blocking mechanisms have been locked.
5. **WARNING:** In order to avoid injuries, make sure that your child is away while this product is being folded or unfolded.
6. **WARNING:** Do not let your child play with this product.
7. **WARNING:** Always use the buckling system.
8. **WARNING:** Always use the harness once your child starts sitting on their own.
9. **WARNING:** This stroller is not suitable for children below the age of 6 months.
10. **WARNING:** Always use the crotch strap combined with the waist strap.
11. **WARNING:** Make sure if the mechanisms fastening the carrycot, the stroller or the car seat are properly latched before use.
12. **WARNING:** This product is not suitable for running and roller-skating.
13. **WARNING:** Every type of load suspended on the slide, on the back of the rest and/or on the sides of the carriage impairs its stability. Maximum load on the bag: 1.5kg; maximum load on the basket: 3kg.
14. **WARNING:** Do not let unattended children play near this product.
15. Never push the carriage up/down stairs and escalators, especially with the child inside. It might pose a risk to the child's safety and damage the product.
16. The product is not a toy, so do not let the child play with it / climb it. The carriage might cause serious injuries if it tips over on a child.
17. Do not use and do not leave the stroller/carrycot near open flames or other sources of heat, such as radiators.
18. Never pull the baby carriage when the front swivel wheels are behind you and are not locked. In such situation, the stroller might turn on its own, which might pose a threat to safety if you are not careful and diligent.

19. When traveling on public transportation (bus, subway, train etc.) it is not sufficient to just use the brake and the carriage's back wheels. The carriage might be exposed to influence of conditions (sudden braking, turning and bumps on the road's surface, accelerating etc.) the effects of which it has not been tested for in line with the current baby carriage standard (EN1888:2012). Follow the guidelines and instructions on safe transport of children in strollers on public transportation, which the operators of public transportation are obligated to publish.

20. The guidelines on safety included in this instruction do not apply to all possible conditions and unexpected situations that might occur. It is necessary to understand that common sense, caution and diligence are factors that cannot be built into any product. These factors remain a responsibility of the person operating the carriage.

21. This product was designed and manufactured in accordance with the EN1888:2012 standard. This product should not be used as a medical device. If your child requires specialized medical care during transport, consult a doctor.

18. Never pull the baby carriage when the front swivel wheels are behind you and are not locked. In such situation, the stroller might turn on its own, which might pose a threat to safety if you are not careful and diligent.

19. When traveling on public transportation (bus, subway, train etc.) it is not sufficient to just use the brake and the carriage's back wheels. The carriage might be exposed to influence of conditions (sudden braking, turning and bumps on the road's surface, accelerating etc.) the effects of which it has not been tested for in line with the current baby carriage standard (EN1888:2012). Follow the guidelines and instructions on safe transport of children in strollers on public transportation, which the operators of public transportation are obligated to publish.

20. The guidelines on safety included in this instruction do not apply to all possible conditions and unexpected situations that might occur. It is necessary to understand that common sense, caution and diligence are factors that cannot be built into any product. These factors remain a responsibility of the person operating the carriage.

21. This product was designed and manufactured in accordance with the EN1888:2012 standard. This product should not be used as a medical device. If your child requires specialized medical care during transport, consult a doctor.

22. Do not modify this product, as it may pose a risk to your child's safety. The Manufacturer shall not be held liable for any modifications to the product performed by the user. Every unauthorized modification shall void the warranty.

23. Railroad / streetcar tracks in particular pose a threat, as the wheels might get stuck in them while going over them.

24. It is particularly important to make sure that the child's legs are not in close proximity to the wheels, where they might get chafed by spinning wheels.

25. We ask you to especially keep in mind that on railroad stations and subway stations, sudden changes to the air pressure are possible. Never leave this product near railroad tracks without both hands on the carriage's handlebar, as using just the brake might not be enough to keep the carriage securely in place.

26. Never leave the stroller/carrycot on a slope, on uneven or slippery surfaces.

27. Do not place nor sit down your child on the footrest. The footrest may only be used as a support for legs and feet of a single child. Using it in any other way might lead to serious bodily harm. The maximum load on the footrest is 3kg.

28. Make sure if all zippers and latches are securely closed before use.

29. Always take the child out of the carriage before folding it.

30. The stroller is intended for carrying one child after they start sitting on their own (above the age of 6 months). The maximum weight of the child is 15kg.

31. The carrycot is intended only for a child that cannot sit on their own, roll over and move on their own hands and knees. The maximum weight of the child is 9kg.
32. When using the baby carriage for a newborn, the rest should be folded down to the most horizontal position until they start sitting on their own, which is around the age of 6 months.
33. The parking brake should be on when you are getting the child in/out of the carriage.
34. Only use replacement parts provided or recommended by the manufacturer.
35. Keep the plastic packaging away from the child in order to avoid the risk of suffocation.
36. Whenever you want to park, use the parking brake.
37. Avoid situations where you use the carriage in an extreme fashion and reduce the control over the child and the carriage.
38. Do not carry the child while in the carriage.
39. Make sure that your child's hands are kept outside of the reach of places where they could get pinched or trapped, like when parts of the carriage like the canopy or the barrier are being attached or detached or in any other way modified.
40. When storing the baby carriage in a car's trunk, make sure that the trunk's lid does not put a pressure on the carriage, as it might cause damage to it.
41. Keep in mind that small parts such as the protective caps securing the wheels' axles for transportation might get swallowed by the child and cause them to suffocate.
42. We recommend that the handles and the bottom of the carrycot are checked regularly for signs of damage or wear.
43. The carrycot comes equipped with a mattress, no extra mattress should be added.
44. Do not place the carrycot in a stand.
45. For proper shock absorption of the baby carriage, it is necessary to maintain adequate tire pressure. Optimal tire pressure - 0.8 bar. The maximum tire pressure cannot exceed 1.0 bar.
46. It is necessary to maintain fixed pressure (about 0.8 to 1.0 bar) in all wheels in order to ensure adequate comfort of maneuvering the carriage being pushed.
- 46a. There is also a gel wheel option available.
- precaution, use only original parts
47. Do not expose the baby carriage to long-term influence of sun rays, extremely low or high temperatures.
48. It is necessary to only use replacement parts provided or recommended by the manufacturer.
49. This product is appropriate for a child that cannot sit on their own, roll over, move on their hands and knees. Maximum weight of the child: 9kg.
50. The carrying handles should be kept outside the carrycot when it is in use.

MAINTENANCE

The baby carriage should be dried with a delicate cloth after being used in a rainy weather. Clean the wheels and metal parts regularly using only mild detergents and lukewarm water. Periodically lubricate the moving parts of the carriage, especially the axles of the swivel wheels, in order to ensure smooth functioning of the carriage. The upholstery and the shopping basket should not be machine washed. Do not expose the carriage to long-term influence of sun rays. As a safety precaution, use only original parts

GENERAL TERMS OF WARRANTY

1) Babylimo Company (trading currently as NU Media House Ltd) (hereinafter referred to as the Manufacturer) provides the Buyer/User with a warranty in accordance with the below warranty periods:

24 months for baby carriages

6 months for accessories

2) The product is covered with the warranty from the date of purchase displayed on the receipt / proof of purchase.

3) The warranty is only valid on the territory of United Kingdom.

4) The warranty covers physical defects of the product – those that make it impossible to use it as intended. The warranty only covers defects arising from causes present in the product at the moment of being purchased by the Buyer/User, or arising from manufacturing defects or hidden defects in the materials of individual elements.

5) The warranty does not cover defects caused by:

a) mechanical, chemical, thermal or intentional actions,

b) operation inadequate to the Product's intended purpose or the user manual,

c) inappropriate maintenance or inappropriate storage,

d) inappropriate assembly or one that does not follow the manual.

6) The warranty in particular does not cover:

a) damages arising from unauthorized alteration; in the event of finding the above, the buyer loses their right to the warranty,

b) wear and tear of the product's elements arising from normal operation (i.e. loosening of the riveted joints, fuzzing of the upholstery, wear on the wheel axles, wear on the tires etc.)

c) mechanical damages (rips, rubs, cracks, breaks, damages to the slides/zippers etc.) not arising from defects of materials,

d) damages caused by unfavorable influence of weather conditions as well as UV radiation (discolorations, water marks, sun fading),

e) such damages as mold, rust, patina, etc. arising from storing the unprotected product in unfavorable conditions (i.e. interiors with increased humidity levels),

f) damages arising from influence of chemical agents (solvents, road salt etc.)

7) The Buyer/User may not exercise the privileges arising from the warranty in the event of:

a) absence of the warranty card and proof of purchase,

b) finding an unauthorized change to an entry in the warranty card,

c) incomplete entries in the warranty card (not filling out all fields)

8) The Buyer/User is obligated to file a complaint in writing within 14 days from the day of finding a defect. The Buyer/User shall file the complaint at the place of purchasing the Product or directly at the Manufacturer's servicing station with the below attached:

- a) the defective Product, which should be complete and in a clean condition,
- b) the complete warranty card, entirely filled out and stamped,
- c) the proof of purchase of the Product,
- d) a warranty complaint form
- e) contact information

9) The Buyer/User, when filing a complaint at the place of purchase, is obligated to provide exhaustive explanations on the circumstances of discovering the defect. If evaluating the complaint makes it necessary to obtain additional information related to the damage or the way the Product was operated, the Buyer/User is obligated to provide the Manufacturer with all the necessary data.

10) The Manufacturer is obligated to address a filed complaint within 14 business days from the day of the product being delivered to the Manufacturer's servicing station with a proviso that in the event of the complaint filed requiring additional evaluation of the Product, its duration shall extend the complaint addressing period, which the Manufacturer is obligated to promptly notify the Buyer/User about. When addressing a complaint, the Manufacturer shall base their decision mainly on the technical standards in force on the date of selling the Product.

11) In the event of recognizing a complaint, the Manufacturer shall inform the Buyer/User in the complaint protocol about the method of resolving the complaint.

12) In the event of a justified complaint, the Manufacturer may, under the warranty, at their own discretion, either:

- a) perform a free-of-charge warranty repair,
- b) replace all elements covered by the warranty, or the entire Product, with ones free from defects.

13) The warranty period shall be extended by the time necessary to perform warranty repairs, or to replace defective elements covered by the warranty with ones free from defects.

14) In the event of an unjustified complaint, the necessary costs related to addressing it shall be incurred by the Buyer/User.

15) The Manufacturer's obligations arising from this warranty are limited to an amount not exceeding the price of the product itself.

16) The warranty provided by BABYLIMO is not transferable to third parties.


* mandatory field

I have read and accept the terms of this warranty


(signature of the Buyer/User)

MANUAL


1. /a




1. /b




2. /a




2. /b




3. /a




3. /b




4.



5. /a




5. /b




6. /a


6. /a




6. /b




7. /a




7. /b




8.




9. /a




9. /b




10.




11. /a




11. /b



12.




13.




14.




15.




16.




17.




18.




19. /a



19. /b



20.



1. UNFOLDING THE FRAME

Unbuckle the binding lock (a). Unfold the baby carriage by lifting the handlebar up until locked in place (b).

WARNING: Before using the carriage, make sure that the folding mechanisms have been locked.

2. FOLDING THE FRAME

Remove the carrycot, stroller or car seat from the frame. Release the folding block and pull back the handles on the handlebar (a). Fold the carriage while holding the handlebar in the way shown in the picture (b).

NOTE: Before folding the frame, remove the contents of the basket.

3. BRAKE

In order to block the wheels, press the brake pedal (a). To release the brake, lift the pedal with the tip of your foot (b).

4. ADJUSTING THE HANDLEBAR HEIGHT

Press the buttons located on the handlebar's joints at the same time and change the handlebar's position.

5. ATTACHING AND DETACHING THE BACK WHEELS

In order to mount the wheels, press the button at the wheel's center and place it on the carriage's axle (a). To remove the wheels, press the button at the wheel's center and remove it from the mounting hole (b).

6. ATTACHING AND DETACHING THE FRONT WHEELS

In order to mount the wheels, slide the front wheel's axle into the mounting hole until locked in place (a). To remove the wheels, press the lock button and remove the front wheel's axle from the mounting hole (b).

7. LOCKING THE FRONT WHEELS

The baby carriage comes with swivel front wheels. The swiveling is locked with the lever. Pressing it results in locking the wheels for rolling forward (a). In order to unlock the wheels, lift the lever (b).

8. ATTACHING THE CARRYCOT

In order to mount the carrycot on the frame, slide its pegs into the mounting holes until locked in place. Note: Before the use, check carefully if the carrycot is mounted properly. Note: Do not unbuckle carrycot out of the frame with the child inside it.

9. DETACHING THE CARRYCOT

In order to remove the carrycot, press the peg release button (a) and take it out of the mounting sockets (b).

10. ADJUSTING THE CARRYCOT BACKREST

Slide out the adjustment lock and set the backrest in the desired position.

11. UNFOLDING AND FOLDING THE CANOPY

In order to unfold the canopy, pull the handle until locked in place (a). To fold the canopy, press the locks on both sides at the same time while pulling the canopy back (b).

12. PLACING THE STROLLER ON THE FRAME

Slide the stroller's pegs into the mounting sockets on the frame until locked in place.

13. REMOVING THE STROLLER FROM THE FRAME

Press the buttons releasing the stroller's pegs and take it out of the mounting sockets.

14. ADJUSTING THE STROLLER'S BACKREST

Press both buttons of the adjustment buckle at the same time and, while holding the band, set the backrest in the desired position.

15. ADJUSTING THE FOOTREST

Press the buttons on both sides of the footrest and change its position.

16. ATTACHING THE BARRIER

Press the buttons located on both sides of the stroller, and then slide the ends of the barrier into the mounting holes, release the buttons and make sure that the barrier has been locked.

17. DETACHING THE BARRIER

Press the barrier lock buttons and slide the tips of it out of the mounting holes. The barrier can be pulled back by only being unlocked on one side.

18. ADJUSTING THE SUSPENDERS

By moving the regulator one way or the other, change the length of the suspenders strap, adjusting them to the child's torso.




19. BUCKLE



To lock the buckle, press the binding part into the casing until locked in place (a). To unlock the buckle, press the buttons and slide out the binding part out of the casing (b).



20. INFLATING THE WHEELS



In order to inflate a wheel, untwist the valve cap. Put the pump to the tip of the valve and inflate the wheel. The maximum tire pressure cannot exceed 0.8 bar. In the event of exceeding the permissible pressure, it might cause damage (burst, deformation) to the wheel.




Car Seat 0-13 kg










































BABYLIMO

Important!

Do not read these instructions in a hurry. Go through them carefully and keep them for future reference. Always consult them when in doubt. Travel safely and take each car trip seriously. Even when you are only travelling a few streets away.

- A** carrying handle
- B** fastening for canopy
- C** button for releasing car seat from pushchair
- D** car seat insert
- E** upholstery
- F** harness speedy adjustment strap
- G** connection to base unit
- H** sun canopy
- I** harness shoulder straps with removable guards
- J** harness buckle
- K** button for adjusting the carrying handle
- L** harness crotch strap with guard
- M** strap height regulator

- N** harness shoulder straps with height adjustment option
- O** car seat installation mechanisms
- P** installation catch for base unit
- R** button to release isofix connector
- S** lever to release car seat
- T** adjustable support leg
- U** control panel
- W** belt hook for shoulder part of belt
- Y** belt hook for lap part of belt



Warning:

Never install the Avionaut Kite+ car seat on a front passenger seat which has an active airbag.



Warning:

Do not modify the Avionaut Kite+ in any way, as this can affect the safety of the child during use.



Warning:

Never place the Avionaut Kite+ on an elevated surface such as a table or chair.



Warning:

The Avionaut Kite+ seat should only be installed in a car in the rear-facing position.

Safety, usage and travel

- Before purchasing, perform a trial installation of each seat in your car, in order to check whether it can be installed and used in the correct manner in that particular model. Matching the seat model to the type of car is one of the most important safety criteria. The sales assistant also guarantees that the installation is fully correct during the first setup.
- Remember that parents are always responsible for their child's safety during a car journey.
- Never leave your child unattended in the car seat — in the car or outside of it.
- Never travel in a car with a child on your lap.
- If you put the Avionaut Kite+ seat on the front passenger seat, remember to deactivate the airbag.
- The safest place for your child to travel in a car is on the rear passenger seats.
- Use only a front-facing seat which is equipped with a three point seatbelt.
- Before any journey, ensure that the seatbelts are not damaged or twisted.
- When the car seat is installed, the rear passenger seats must be blocked and immobile.
- Before any journey, check that the Avionaut Kite+ seat has not been caught in the door, and is not at risk of coming into contact with loose items of baggage or loose passenger seats. Ensure that all baggage in the car is securely fastened.
- Do not use the Avionaut Kite+ without the upholstery, as it is part of the system that is responsible for your child's safety.
- Only use the insert when the shoulder straps are in the lowest position. The insert can only be used until your child is 6 months old. To remove the insert, open the buckle and remove the strap guards.
- Take short breaks on long journeys. Your child needs to move about as well.

- If you would like to protect your child from the sun, put up the sun canopy. The canopy is hidden in the seat's upholstery.
- Always cover the seat when you leave the car parked in direct sunlight. The upholstery, metal and plastic parts can overheat and burn your child.
- Always fasten your child securely in the seat using the harness straps, even when you are using the seat outside the car.
- Do not use the Avionaut Kite+ for more than 5 years.
- We advise against buying second-hand car seats for children — you can never be sure of their history. If you do decide to buy a second-hand car seat, choose one with a history that is known to you.
- Replace your car seat if it has been in an accident.
- The manufacturer is aware that this seat may leave indentations in the upholstery of the car passenger seats. This is unavoidable due to the requirement that the seat be attached tightly. The manufacturer does shall not be liable for any damage caused in this way.

- the make and model of your car, and the place in the car that the Avionaut Kite+ will be installed.

Warranty

- The Avionaut Kite+ comes with a 24 month warranty. We hereby confirm that this product was manufactured in accordance with current European safety and quality standards and that, at the time of purchase, it is free from manufacturing or material defects.
- The warranty is valid in the country of purchase and is administered by the authorised distributor.
- The warranty covers all manufacturing defects, whether in workmanship or materials, on condition that the product is used according to the instructions, in normal conditions, by the first end-user and for 24 months from the date of purchase. Avionaut is liable for the repair or exchange of faulty products, but the guarantor decides on the manner in which the fault will be removed and considers each claim.
- The warranty does not cover damage caused by normal wear and tear, such as fabric wear, and the natural loss of colour and deterioration

Consumer rights:

- The consumer has rights in accordance with the relevant legislation, which may vary according to country. This warranty does not affect the consumer's rights arising from the appropriate national legislation.

Maintenance and cleaning

1. The Avionaut Kite+ seat upholstery can be machine washed up to 30°C.
2. The remaining parts can be washed using soap and water and a soft sponge.
3. Keep your car seat clean. Do not use moisturizing agents or harsh cleaning materials.
4. Do not use lubricants on the moving elements or any part of the car seat.

The environment

- The plastic wrapping should be kept away from children, in order to avoid the risk of suffocation.
- The batteries for the information panel in the base of the car seat should be disposed of appropriately.
- Out of concern for the environment, when you have finished using this car seat, please dispose of it in an appropriate waste management facility, in keeping with the appropriate local laws.

Questions

If you have any questions, call your retailer or authorised dealer. Prepare the following information:

- the age, height and weight of your child,

in materials resulting from the normal ageing of the product.

- Additionally, the warranty does not cover product faults caused by accidental damage, not following the instructions, inappropriate use, or damage resulting from negligence, fire, contact with liquids or other outside causes.
- When a claim is made, the Avionaut Kite+ seat must have all labels or the identification number and must be serviced only by an authorised person.

Would you like to make a claim?

- If you find a defect and would like to make a claim, contact the retailer who sold you your Avionaut Kite+. When making a claim you will need to produce your proof of purchase, which should be dated in the 24 months preceding your service request.
- If your product needs to be sent to a service centre, return it to the distributor or retailer. The method of delivery and delivery costs should be agreed on at this time, as the lack of such an agreement may result in the guarantor refusing to cover the delivery costs. Damages and/or defects which are not covered by our warranty or by consumer rights, and/or product damage and/or defects not covered by our warranty can be removed for an agreed upon fee.



BABYLIMO

www.babylimo.co.uk

orders@babylimo.co.uk